

Comment Deadline: May 10, 2009

AGA (ASC Z223) (American Gas Association)

Revisions

BSR Z223.1a-200x, National Fuel Gas Code Amendment (revision of ANSI Z223.1-2009)

Revises the low-water cutoff requirements for fuel-gas-fired hot-water boilers. The change is necessary to coordinate coverage between the 2009 editions of NFPA 54 and Z223.1.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Paul Cabot, (202) 824-7312, pcabot@aga.org

UL (Underwriters Laboratories, Inc.)

Revisions

BSR/UL 98-200x, Standard Enclosed and Dead-Front Switches (revision of ANSI/UL 98-2006)

Provides the changes to the proposal for DC Short-circuit Current Ratings above 10 kA.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Tim Corder, (919) 549-1841, William.T.Corder@us.ul.com

BSR/UL 127-200x, Standard for Safety for Factory-Built Fireplaces (revision of ANSI/UL 127-1998 (R2006))

Proposes the following change to BSR/UL 127: Addition of marking requirements for outdoor fireplaces.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Nicolette Allen, (919) 549-0973, Nicolette.Allen@us.ul.com

BSR/UL 746B-200x, Standard for Safety for Polymeric Materials - Long Term Property Evaluations (revision of ANSI/UL 746B-2006)

Covers the proposal for Offset Principle for Impact Testing.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Raymond Suga, (631) 546-2593, Raymond.M.Suga@us.ul.com

BSR/UL 1450-200x, Standard for Safety for Motor-Operated Air Compressors, Vacuum Pumps, and Painting Equipment (revision of ANSI/UL 1450-2007)

Revises the equipment definitions and cord length requirements.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Susan Malohn, (847) 664-1725, Susan.P.Malohn@us.ul.com

Comment Deadline: May 25, 2009

ASME (American Society of Mechanical Engineers)

Revisions

BSR/ASME B16.10-200x, Face-to-Face and End-to-End Dimensions of Valves (revision of ANSI/ASME B16.10-2000 (R2003))

Covers face-to-face and end-to-end dimensions of straightway valves, and center-to-face and center-to-end dimensions of angle valves. The purpose of the standards is to assure installation interchangeability for valves of a given material, type, size, rating class, and end connection.

Single copy price: Free

Obtain an electronic copy from: <http://cstools.asme.org/publicreview>

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Adam Maslowski, (212) 591-8017, maslowskia@asme.org

BSR/ASME B16.11-200x, Forged Fittings, Socket-Welding and Threaded (revision of ANSI/ASME B16.11-2005)

Covers ratings, dimensions, tolerances, marking, and material requirements for forged fittings, both socket-welding and threaded.

Single copy price: Free

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Robert J. Horvath, Jr., ASME

ASTM (ASTM International)

The URL to search for scopes of ASTM standards is:

<http://www.astm.org/dsearch.htm>

For reaffirmations and withdrawals, order from: Customer Service, ANSI
For new standards and revisions, order from: Corice Leonard, ASTM ; cleonard@astm.org

For all ASTM standards, send comments (with copy to BSR) to: Corice Leonard, ASTM ; cleonard@astm.org

New Standards

BSR/ASTM E2282-200x, Guide for Defining the Test Result of a Test Method (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK3984.htm>

Single copy price: \$32.00

BSR/ASTM WK11023-200x, Specification for Life and Reliability Testing Based on the Exponential Distribution (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK11023.htm>

Single copy price: Free

BSR/ASTM WK12052-200x, Test Method for Evaluating the Under-Deck Fire Test Response of Deck Structures (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK12052.htm>

Single copy price: Free

BSR/ASTM WK13028-200x, Test Method for Behavior of Materials in a Vertical Tube Furnace at 750C with a Cone-Shaped Airflow Stabilizer (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK13028.htm>

Single copy price: Free

BSR/ASTM WK14412-200x, Specification for 12- to 30-in. [300- to 750-mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK14412.htm>

Single copy price: Free

BSR/ASTM WK14977-200x, Specification for 6 to 30 Inch (152 to 762 mm) Polypropylene (PP) Corrugated Single Wall Pipe and Double Wall Pipe (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK14977.htm>

Single copy price: Free

BSR/ASTM WK18643-200x, Test Method for Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK18643.htm>

Single copy price: Free

BSR/ASTM WK19062-200x, Specification for Polyethylene of Raised Temperature (PE-RT) Plastic Hot- and Cold-Water Tubing and Distribution Systems (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK19062.htm>

Single copy price: Free

BSR/ASTM WK19507-200x, Specification for 30 to 60 In. [750 to 1500 mm] Triple Profile-wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK19507.htm>

Single copy price: Free

BSR/ASTM WK19508-200x, Specification for 30 to 60 In. [750 to 1500 mm] Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK19508.htm>

Single copy price: Free

BSR/ASTM WK21006-200x, Specification for Total Lead Content in Synthetic Turf Fibers (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK21006.htm>

Single copy price: Free

BSR/ASTM WK21264-200x, Test Method for Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK21264.htm>

Single copy price: Free

BSR/ASTM WK22077-200x, Specification for Rubber Marine Fenders (new standard)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK22077.htm>

Single copy price: Free

Revisions

BSR/ASTM D2846-200x, Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems (revision of ANSI/ASTM D2846/D2846M-2006)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK23141.htm>

Single copy price: \$43.00

BSR/ASTM D3311-200x, Specification for Drain, Waste, and Vent (DWV) Plastic Fittings Patterns (revision of ANSI/ASTM D3311-2008)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK21035.htm>

Single copy price: \$51.00

BSR/ASTM E84-200x, Test Method for Surface Burning Characteristics of Building Materials (revision of ANSI/ASTM E84-2009)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK21537.htm>

Single copy price: \$51.00

BSR/ASTM E1323-200x, Guide for Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data (revision of ANSI/ASTM E1323-1996 (R2002))

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK18212.htm>

Single copy price: \$32.00

BSR/ASTM F683-200x, Practice for Selection and Application of Thermal Insulation for Piping and Machinery (revision of ANSI/ASTM F683-2008)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK21522.htm>

Single copy price: \$51.00

BSR/ASTM F1511-200x, Specification for Mechanical Seals for Shipboard Pump Applications (revision of ANSI/ASTM F1511-2007)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK23281.htm>

Single copy price: \$51.00

BSR/ASTM F1547-200x, Guide Listing Relevant Standards and Publications for Commercial Shipbuilding (revision of ANSI/ASTM F1547-2006)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK20927.htm>

Single copy price: \$58.00

BSR/ASTM F2262-200x, Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9 (revision of ANSI/ASTM F2262-2005)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK21645.htm>

Single copy price: \$37.00

BSR/ASTM F2418-200x, Specification for Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers (revision of ANSI/ASTM F2418-2005)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK17317.htm>

Single copy price: \$37.00

Reaffirmations

BSR/ASTM D3122-1995 (R200x), Specification for Solvent Cements for Styrene-Rubber (SR) Plastic Pipe and Fittings (reaffirmation of ANSI/ASTM D3122-1995 (R2002))

<http://www.astm.org/Standards/D3122.htm>

Single copy price: \$32.00

BSR/ASTM F1865-2002 (R200x), Specification for Mechanical Cold Expansion Insert Fitting with Compression Sleeve for Cross-Linked Polyethylene (PEX) Tubing (reaffirmation of ANSI/ASTM F1865-2002)

<http://www.astm.org/Standards/F1865.htm>

Single copy price: \$32.00

BSR/ASTM F2044-2005 (R200x), Specification for Liquid Level Indicating Equipment, Electrical (reaffirmation of ANSI/ASTM F2044-2005)

<http://www.astm.org/DATABASE.CART/WORKITEMS/WK23412.htm>

Single copy price: Free

ATIS (Alliance for Telecommunications Industry Solutions)

New Standards

BSR ATIS 0600015.03-200x, Energy Efficiency for Telecommunications Equipment: Methodology for Measurement and Reporting for Router and Ethernet Switch Products (new standard)

Specifies the definition of router and Ethernet switch products based on their position in a network as well as a methodology to calculate the Telecommunication Energy Efficiency Ratio (TEER). This standard will also provide requirements for how equipment vendors shall respond to a TEER request based on a specific application description by making use of relevant data from internal and independent test reports.

Single copy price: \$75.00

Obtain an electronic copy from: kconn@atis.org

Order from: Kerriane Conn, (202) 434-8841, kconn@atis.org

Send comments (with copy to BSR) to: Same

AWS (American Welding Society)

Revisions

BSR/AWS A5.8M/A5.8-200x, Specification for Filler Metals for Brazing and Braze Welding (revision of ANSI/AWS A5.8/A5.8M-2004)

Prescribes the requirements for the classification of brazing filler metals for brazing and braze welding. The brazing filler metal groups described include aluminum, cobalt, copper, gold, magnesium, nickel, silver, titanium, and brazing filler metals for vacuum service.

Single copy price: \$36.00

Obtain an electronic copy from: roneill@aws.org

Order from: Rosalinda O'Neill, (305) 443-9353, roneill@aws.org

Send comments (with copy to BSR) to: Andrew Davis, (305) 443-9353, Ext. 466, adavis@aws.org; roneill@aws.org

AWWA (American Water Works Association)

New Standards

BSR/AWWA G410-200x, Business Practices for Operation and Management (new standard)

Describes the critical elements of effective business practices for the operation and management of water and wastewater utilities. This standard encompasses the major functions necessary to sustain a successful utility and information management.

Single copy price: \$20.00

Obtain an electronic copy from: llobb@awwa.org

Order from: Roy Martinez, (303) 347-6194, rmartinez@awwa.org

Send comments (with copy to BSR) to: Same

ESTA (Entertainment Services and Technology Association)

New Standards

BSR E1.6-2-200x, Entertainment Technology - Purpose Designed Serially Manufactured Electric Chain Hoists for the Entertainment Industry (new standard)

Covers the design, inspection, and maintenance of serially manufactured electric chain hoists having capacities of two tons or less and used in the entertainment industry as part of a performance or in preparation for a performance. This draft American National Standard is a part of the BSR E1.6 powered theatrical rigging systems project.

Single copy price: Free

Obtain an electronic copy from:

http://www.esta.org/tsp/documents/public_review_docs.php

Order from: Karl Ruling, (212) 244-1505, standards@esta.org

Send comments (with copy to BSR) to: Same

BSR E1.28-200x, Guidance on planning followspot positions in places of public assembly (new standard)

Offers guidance on the planning of permanent followspot positions. This standard is a guidance document, not a mandatory compliance document. The document offers recommendations on the locations of the followspot positions within the venue, the power likely to be needed, the waste heat generated, the amount of space likely to be needed, and the fall protection and egress issues to be considered for the operators' safety, among other things.

Single copy price: Free

Obtain an electronic copy from:

http://www.esta.org/tsp/documents/public_review_docs.php

Order from: Karl Ruling, (212) 244-1505, standards@esta.org

Send comments (with copy to BSR) to: Same

BSR E1.30-4-200x, EPI 26, Device Description Language (DDL) Extensions for DMX512 and E1.31 Devices (new standard)

Defines protocol-specific extensions to ANSI E1.17's Device Description Language for describing DMX512-type devices. This document is part of BSR E1.30-200x, Application level equipment interoperability for control of commonly encountered entertainment technology devices using ANSI E1.17.

Single copy price: Free

Obtain an electronic copy from:

http://www.esta.org/tsp/documents/public_review_docs.php

Order from: Karl Ruling, (212) 244-1505, standards@esta.org

Send comments (with copy to BSR) to: Same

GBI (Green Building Initiative)

New Standards

BSR/GBI Proposed American National Standard 01-200x, Green Building Assessment Protocol for Commercial Buildings (new standard)

Applies to a broad range of commercial building types, including offices, multi-family, health care, schools, universities, labs, industrial, retail, etc., as well as to major renovations. The Standard does not apply to single-family homes. The Standard includes a point-based assessment or rating system leading to commonly valued environmental and related efficiency outcomes for new commercial buildings and major renovations, including criteria related to planning for subsequent operations and maintenance.

Single copy price: Free

Obtain an electronic copy from: www.thegbi.org

Order from: GBI Standards, PO Box 398, Camden, ME 04843 or sara@thegbi.org

Send comments (with copy to BSR) to: Sara Rademacher, (207) 236-2920, sara@thegbi.org

IAPMO (International Association of Plumbing & Mechanical Officials)

New Standards

BSR/IAPMO USEC 1-200x, Uniform Solar Energy Code (new standard)

Applies to the erection, installation, alteration, addition, repair, relocation, replacement, maintenance, or use of any solar system.

Single copy price: \$15.00

Obtain an electronic copy from: Alma Ramos, IAPMO, Alma.Ramos@iapmo.org

Order from: Alma Ramos, IAPMO, Alma.Ramos@iapmo.org

Send comments (with copy to BSR) to: Lynne Simnick, (909) 472-4110, lynne.simnick@iapmo.org

ISA (ISA)

New Standards

BSR/ISA 100.11a-200x, Wireless Systems for Industrial Automation: Process Control and Related Applications (new standard)

Presents a wireless industrial process automation network to address control, alerting, and monitoring applications plant-wide. This standard focuses on field devices with the ability to scale to large installations. It addresses wireless infrastructure, interfaces to legacy host applications plus security, and network management requirements in a functionally scalable manner.

Single copy price: \$99.00 USD

Obtain an electronic copy from: crobinson@isa.org

Send comments (with copy to BSR) to: Charles Robinson, (919) 990-9213, crobinson@ISA.org

ITI (INCITS) (InterNational Committee for Information Technology Standards)

New Standards

BSR INCITS 459-200x, Information technology - Requirements for the Implementation of Role Based Access Control (RBAC) (new standard)

Specifies the implementation of RBAC systems. This standard describes the packaging of features through the selection of functional components and feature options within a component, beginning with a core set of RBAC features that shall be included in all packages.

Single copy price: \$30.00

Obtain an electronic copy from: <http://webstore.ansi.org/www.incits.org>

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to BSR) to: Serena Patrick, (202) 626-5741, spatrick@itic.org

NGA (National Glass Association)

Revisions

BSR/NGA R1.1-200x, Repair of Laminated Automotive Glass Standard (revision of ANSI/NGA R1.1-2007)

Defines:

- Repairable damages;
- The process of windshield repair; and
- The performance criteria for repaired laminated glass.

This standard shall also provide best practices for the training of a repair technician.

Single copy price: \$None

Obtain an electronic copy from: www.rolags.com

Send comments (with copy to BSR) to: Margaret Stroka, (717) 932-6885, pegs@glass.org

NISO (National Information Standards Organization)

Reaffirmations

BSR/NISO Z39.50-2003 (R200x), Information Retrieval: Application Service Definition and Protocol Specification (reaffirmation of ANSI/NISO Z39.50-2003)

Defines a client/server based service and protocol for Information Retrieval. This standard specifies procedures and formats for a client to search a database provided by a server, retrieve database records, and perform related information retrieval functions.

Single copy price: \$129.00 (paper) / Free (electronic download)

Obtain an electronic copy from: <http://www.niso.org/standards/z39-50-2003/>

Order from: Techstreet; http://www.techstreet.com/cgi-bin/detail?product_id=1209445

Send comments (with copy to BSR) to: <http://www.niso.org/contact/>

BSR/NISO Z39.89-2003 (R200x), The U.S. National Z39.50 Profile for Library Applications (reaffirmation of ANSI/NISO Z39.89-2003)

Specifies the use of ANSI/NISO Z39.50-2003 in library applications. This standard specifies Z39.50 client and Z39.50 server behavior for search and retrieval across online library catalogs. The specifications included in this standard use The Bath Profile: A Z39.50 Specification for Library Applications and Resource Discovery (Release 2) as its foundation. Conformance use of this standard will improve interoperability between Z39.50 implementations.

Single copy price: \$55.00

Obtain an electronic copy from: <http://www.niso.org/standards/z39-89-2003/>

Order from: Techstreet; http://www.techstreet.com/cgi-bin/detail?product_id=1262107

Send comments (with copy to BSR) to: nisohq@niso.org

NPES (ASC CGATS) (Association for Suppliers of Printing, Publishing and Converting Technologies)

Reaffirmations

BSR CGATS/ISO 15930-4-2004 (R200x), Graphic technology - Prepress digital exchange using PDF - Part 4: Complete exchange of CMYK and spot colour printing data using PDF 1.4 (PDF/X1a) (reaffirmation and redesignation of ANSI CGATS/ISO 15930-4-2004/ISO 15930-4-2002)

Specifies the use of the Portable Document Format (PDF), Version 1.4, for the dissemination of complete digital data, in a single exchange, that contains all elements ready for final print reproduction. CMYK and spot-color data are supported in any combination.

Single copy price: \$63.00

Obtain an electronic copy from: dorf@npes.org

Order from: Debra Orf, (703) 264-7200, dorf@npes.org

Send comments (with copy to BSR) to: Same

BSR CGATS/ISO 15930-6-2004 (R200x), Graphic Technology - Prepress digital exchange using PDF - Part 6: Complete exchange of printing data suitable for colour-managed workflows using PDF 1.4 (PDF/X-3) (reaffirmation and redesignation of ANSI CGATS/ISO 15930-6-2004/ISO 15930-6-2003)

Specifies the use of the Portable Document Format (PDF), Version 1.4, for the dissemination of complete digital data, in a single exchange, that contains all elements ready for final print reproduction. Color-managed, CMYK, gray, RGB or spot color data are supported.

Single copy price: \$63.00

Obtain an electronic copy from: dorf@npes.org

Order from: Debra Orf, (703) 264-7200, dorf@npes.org

Send comments (with copy to BSR) to: Same

Withdrawals

ANSI CGATS/ISO 15930-5-2004/ISO 15930-4-2003, Graphic technology - Prepress digital exchange using PDF - Part 5: Partial exchange of printing data using PDF 1.4 (PDF/X-2) (withdrawal of ANSI CGATS/ISO 15930-5-2004/ISO 15930-4-2003)

Specifies the use of the Portable Document Format (PDF), Version 1.4, for the dissemination of digital data, where all elements necessary for final print reproduction are either included or provision is made for unique identification. Color-managed, CMYK, and spot color data are supported in any combination.

Single copy price: \$53.00

Obtain an electronic copy from: dorf@npes.org

Order from: Debra Orf, (703) 264-7200, dorf@npes.org

Send comments (with copy to BSR) to: Same

SCTE (Society of Cable Telecommunications Engineers)

New Standards

BSR/SCTE 163-200x, SCTE HMS Switched Digital Video MIB (new standard)

This standard provides the definition for MIB objects within the SCTE HMS SDV MIB Tree.

Single copy price: \$50.00

Obtain an electronic copy from: standards@scte.org

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to BSR) to: Rebecca Quartapella, (610) 594-7316, rquartapella@scte.org

TIA (Telecommunications Industry Association)

Revisions

BSR/TIA 603-D-200x, Land Mobile FM or PM - Communications Equipment - Measurement and Performance Standards (revision and redesignation of ANSI/TIA 603-C-2004)

Provides definition, methods of measurement and performance standards for radio equipment used in the Private (Dispatch) Land Mobile Services that employ FM or PM modulation, for transmission of voice or using analog or digital techniques, with a frequency of 1 GHz or less.

Single copy price: \$313.00

Obtain an electronic copy from: www.global.ihs.com

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to BSR) to: Ronda Coulter, (703) 907-7974, rcoulter@tiaonline.org

Reaffirmations

BSR/TIA 102.BABA-1998 (R200x), Project 25 Vocoder Description (reaffirmation of ANSI/TIA 102.BABA-1998 (R2003))

Provides a functional description of the Improved Multi-Band Excitation IMBE voice-coding algorithm adopted as the Project vocoder standard. This document describes the essential operations that are necessary and sufficient to implement this voice-coding algorithm.

Single copy price: \$200.00

Obtain an electronic copy from: www.global.ihs.com

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to BSR) to: Ronda Coulter, (703) 907-7974, rcoulter@tiaonline.org

Addenda

BSR/TIA 41.550-E-2 [E]-200x, Mobile Application Part (MAP) - Parameters Signaling Protocols (addenda to ANSI/TIA 41.550-E-2004)

Supports systems conforming to air-interface technologies AMPS, NAMPS, TDMA and CDMA, including cdma2000 (R).

Single copy price: \$382.00

Obtain an electronic copy from: pbogard@tiaonline.org

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to BSR) to: Peter Bogard, (703) 907-7961, pbogard@tiaonline.org

UL (Underwriters Laboratories, Inc.)

Revisions

BSR/UL 312-200x, Check Valves for Fire-Protection Service (revision of ANSI/UL 312-2003)

Provides revisions to the previous proposal, dated October 31, 2008.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Kristin Andrews, (408) 754-6634, Kristin.L.Andrews@us.ul.com

BSR/UL 935-200x, Standard for Fluorescent-Lamp Ballasts (revision of ANSI/UL 935-2007)

Covers the following topic: Clarify requirements for use of copper conductors for lead wires.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@us.ul.com

BSR/UL 1029-200x, Standard for High-Intensity-Discharge Lamp Ballasts (revision of ANSI/UL 1029-2007)

The following topics are being recirculated:

- (1) Clarify requirements for use of copper conductors for lead wires; and
- (2) Revise requirements for temperature testing and marking of enclosed and open core-and-coil ballasts to reflect current industry practice and propose ballast marking to meet the exclusion of Federal energy efficiency regulation.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@us.ul.com

BSR/UL 1647-200x, Standard for Safety for Motor-Operated Massage and Exercise Machines (revision of ANSI/UL 1647-2008)

Covers:

- (1) Addition and revision of requirements specific to evaluating switches and controls, belt speed, acceleration and deceleration rates, and abnormal operation of treadmills; and
- (2) Addition and revision of construction and performance requirements for evaluation of motor-operated massage-type footbaths.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Beth Northcott, (847) 664-3198, Elizabeth.Northcott@us.ul.com

Reaffirmations

BSR/UL 30-2004 (R200x), Standard for Safety for Metal Safety Cans (reaffirmation of ANSI/UL 30-2004)

The following is being proposed: Reaffirmation of the Ninth Edition of the Standard for Metal Safety Cans, UL 30, as an American National Standard.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@us.ul.com

BSR/UL 32-2004 (R200x), Standard for Safety for Metal Waste Cans (reaffirmation of ANSI/UL 32-2004)

The following is being proposed: Reaffirmation of the Fifth Edition of the Standard for Metal Waste Cans, UL 32, as an American National Standard.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@us.ul.com

BSR/UL 1314-2005 (R200x), Standard for Safety for Special-Purpose Metal Containers (reaffirmation of ANSI/UL 1314-2005)

The following is being proposed: Reaffirmation of the Fourth Edition of the Standard for Special-Purpose Metal Containers, UL 1314, as an American National Standard.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@us.ul.com

BSR/UL 1784-2004 (R200x), Standard for Safety for Air Leakage Tests of Door Assemblies (reaffirmation of ANSI/UL 1784-2004)

The following is being proposed: Reaffirmation of the Third Edition of the Standard for Air Leakage Tests of Door Assemblies, UL 1784, as an American National Standard.

Single copy price: Contact comm2000 for pricing and delivery options

Obtain an electronic copy from: <http://www.comm-2000.com>

Order from: comm2000

Send comments (with copy to BSR) to: Heather Sakellariou, (847) 664-2346, Heather.Sakellariou@us.ul.com

Comment Deadline: June 9, 2009

Reaffirmations and withdrawals available electronically may be accessed at: webstore.ansi.org

ASME (American Society of Mechanical Engineers)**New Standards**

BSR/ASME B89.1.7-200x, Performance Standard for Steel Measuring Tapes (new standard)

Specifies the requirements for steel measuring tapes, with respect to units (International System (SI) and/or U.S. Customary), graduations, numbering, designations, and accuracy requirements.

Single copy price: Free

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Fredric Constantino, (212) 591-8684, constantinof@asme.org

Reaffirmations

BSR/ASME B1.5-1997 (R200x), Acme Screw Threads (reaffirmation of ANSI/ASME B1.5-1997 (R2004))

Provides for two general applications of Acme threads: namely, general purpose and centralizing. The limits and tolerances in this Standard relate to single-start Acme threads and may be used, if considered suitable, for multiple-start Acme threads.

Single copy price: \$85.00

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Angel Guzman, (212) 591-8018, guzman@asme.org

BSR/ASME B1.10M-2004 (R200x), Unified Miniature Screw Threads (reaffirmation of ANSI/ASME B1.10M-2004)

Specifies the thread form, series, tolerance, and designation for the Unified Miniature Screw Threads. The series covers a diameter range of 0.30 mm to 1.40 mm, extending the metric M-Profile and unified thread series that begin at 1.6 mm.

Single copy price: \$38.00

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Angel Guzman, (212) 591-8018, guzman@asme.org

BSR/ASME B1.20.5-1991 (R200x), Gaging for Dryseal Pipe Threads (Inch) (reaffirmation of ANSI/ASME B1.20.5-1991 (R2004))

Provides information regarding practical dryseal thread inspection methods and commonly used gages for production evaluation purposes. All dimensions are in inches unless otherwise specified.

Single copy price: \$50.00

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Angel Guzman, (212) 591-8018, guzman@asme.org

BSR/ASME B32.5-1977 (R200x), Preferred Metric Sizes for Tubular Metal Products other than Pipe (reaffirmation of ANSI/ASME B32.5-1977 (R2004))

Establishes preferred series of metric outside diameters, distances across flats, wall thicknesses and lengths for tubular metal products other than pipe.

Single copy price: \$35.00

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Jack Karian, (212) 591-8552, karianj@asme.org

BSR/ASME B36.10M-2004 (R200x), Welded and Seamless Wrought Steel Pipe (reaffirmation of ANSI/ASME B36.10M-2004)

Covers the standardization of dimensions of welded and seamless wrought steel pipe for high or low temperatures and pressures.

Single copy price: \$57.00

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Jack Karian, (212) 591-8552, karianj@asme.org

BSR/ASME B36.19M-200x, Stainless Steel Pipe (reaffirmation of ANSI/ASME B36.19M-2004)

Covers the standardization of dimensions of welded and seamless wrought stainless steel pipe for high or low temperatures and pressures.

Single copy price: \$35.00

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Jack Karian, (212) 591-8552, karianj@asme.org

