

Comment Deadline: August 23, 2009

AAMI (Association for the Advancement of Medical Instrumentation)

Supplements

BSR/AAMI/IEC 80601-2-30-200x/C1-200x, Medical electrical equipment
- Part 2-30: Particular requirements for the basic safety and essential performance of automated non-invasive sphygmomanometers
(supplement to AAMI/IEC 80601-2-30)

Provides a proposed amendment to U.S. adoption of IEC 80601-2-30: 2009. This is based on a technical corrigendum (62D/782/DC) circulated revising subclause 201.105.1 a); subclause 201.105.3.2; and figure 201.101.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Hae Choe, (703) 525-4890 x213, hchoe@aami.org

UL (Underwriters Laboratories, Inc.)

New Standards

BSR/UL 2218-200x, Standard for Impact Resistance of Prepared Roof Covering Materials (new standard)

Recirculates UL 2218, covering ANSI approval of the First Edition of the Standard for Impact Resistance of Prepared Roof Covering Materials.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Mitchell Gold, (847) 664-2850, Mitchell.Gold@us.ul.com

Revisions

BSR/UL 325-200x, Standard for Door, Drapery, Gate, Louver, and Window Operators and Systems (revision of ANSI/UL 325-2007)

Revises standard to allow an exception to the normal temperature test for commercial-type drapery operators.

[Click here to see these changes in full, or look at the end of "Standards Action."](#)

Send comments (with copy to BSR) to: Amy Walker, (847) 664-2023, Amy.K.Walker@us.ul.com

Comment Deadline: September 7, 2009

ABYC (American Boat and Yacht Council)

New Standards

BSR/ABYC S-7-200x, Boat Capacity Labels (new standard)

Establishes methods for the display of capacity information on boats.

Single copy price: \$50.00

Order from: Helen Koepper, (410) 990-4460, hkoeppe@abycinc.org

Send comments (with copy to BSR) to: comments@abycinc.org

BSR/ABYC S-8-200x, Boat Measurement and Weight (new standard)

Provides a guide to establish uniformity in describing boat dimensions and weight specifications.

Single copy price: \$50.00

Order from: Helen Koepper, (410) 990-4460, hkoeppe@abycinc.org

Send comments (with copy to BSR) to: comments@abycinc.org

BSR/ABYC T-01-200x, Aluminum Applications for Boats and Yachts (new standard)

Provides information on the use of aluminum for constructing outboard boats using riveted construction, outboard boats using welded construction, and inboard powered boats and yachts using welded construction.

Single copy price: \$50.00

Order from: Helen Koepper, (410) 990-4460, hkoeppe@abycinc.org

Send comments (with copy to BSR) to: comments@abycinc.org

AIAA (American Institute of Aeronautics and Astronautics)

New Standards

BSR/AIAA S-119-200x, Flight Dynamics Model Exchange Standard (new standard)

Covers:

- Definition of standard variables: These definitions are used to clearly define the information in the model;
- Definition of standard axis systems: This, again, is required to clearly define the information in the model;
- Definition of information to be contained in function tables that includes, at a minimum:
 - Dependent and independent variables
 - The provenance of the data: Where the data came from and how it has been modified
 - The statistical confidence of the data (may be unknown); and
 - Specification for handling interpolation and extrapolation of the data.

Single copy price: N/A

Obtain an electronic copy from: http://aiaa.kavi.com/public/pub_rev/

Order from: Michele Ringrose, (703) 264-7515, micheler@aiaa.org; craigd@aiaa.org

Send comments (with copy to BSR) to: Same

AIIM (Association for Information and Image Management)

New Standards

BSR/AIIM 21-200x, Standard Recommended Practice - Strategy Markup Language - Part 1: StratML Core (new standard)

Specifies an Extensible Markup Language (XML) vocabulary and schema (XSD) for the elements that are common and considered to be part of the essential core of the strategic plans of all organizations worldwide. This is the first of a series of parts that will comprise the Strategy Markup Language (StratML) standard. Subsequent parts will address the elements of performance plans and reports as well as extensions to the core that may be useful but are not considered to be essential for the basic purposes of the standard.

Single copy price: \$50.00

Obtain an electronic copy from: bfaning@aiim.org

Order from: Betsy Fanning, (301) 755-2682, bfaning@aiim.org

Send comments (with copy to BSR) to: Same

ASME (American Society of Mechanical Engineers)**Revisions**

BSR/ASME BPVC Section II-200x, Rules for Construction and Continued Service of Transport Tanks (Part A - Ferrous Material Specifications, Part B - Nonferrous Material Specifications, Part D - Materials Properties) (2/3/09 Meeting) (revision of ANSI/ASME BPVC 2007 Edition)

Provides material specifications for base metallic and for non-metallic materials (except concrete and fiber-reinforced plastics under the scope of Section X) and material design values and limits and cautions on the use of materials.

Single copy price: Free

Obtain an electronic copy from: <http://cstools.asme.org/publicreview>

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Noel Lobo, (212) 591-8460, lobon@asme.org

BSR/ASME BPVC Section XII-200x, Rules for Construction and Continued Service of Transport Tanks (2/3/09 Meeting) (revision of ANSI/ASME BPVC 2007 Edition)

Covers requirements for construction and continued service of pressure vessels for the transportation of dangerous goods via highway, rail, air or water at pressures from full vacuum to 3,000 psig and volumes greater than 120 gallons.

Single copy price: Free

Obtain an electronic copy from: <http://cstools.asme.org/publicreview>

Order from: Mayra Santiago, ASME; ANSIBOX@asme.org

Send comments (with copy to BSR) to: Daniel Sharp, (212) 591-8538, sharpd@asme.org

AWWA (American Water Works Association)**New Standards**

BSR/AWWA G420-200x, Communications and Customer Relations (new standard)

Covers the essential requirements to effectively manage communications and customer relations.

Single copy price: \$20.00

Obtain an electronic copy from: llobb@awwa.org

Order from: Paul Olson, (303) 347-6178, polson@awwa.org

Send comments (with copy to BSR) to: Same

Revisions

BSR/AWWA G200-200x, Distribution Systems Operation and Management (revision of ANSI/AWWA G200-2004)

Describes the critical requirements for the effective operation and management of drinking water distribution systems.

Single copy price: \$20.00

Obtain an electronic copy from: llobb@awwa.org

Order from: Paul Olson, (303) 347-6178, polson@awwa.org

Send comments (with copy to BSR) to: Same

CSA (CSA America, Inc.)**Revisions**

BSR Z21.13-200x, Gas-Fired Low Pressure Steam and Hot Water Boilers (same as CSA 4.9) (revision of ANSI Z21.13-2004)

Details test and examination criteria for Category I, Category II, Category III and Category IV low-pressure steam and hot water boilers for use with natural, manufactured and mixed gases, liquefied petroleum gases and LP gas-air mixtures.

Single copy price: \$175.00

Obtain an electronic copy from: cathy.rake@csa-america.org

Order from: Cathy Rake, (216) 524-4990, cathy.rake@csa-america.org

Send comments (with copy to BSR) to: Same

Addenda

BSR Z21.11.2b-200x, Gas-Fired Room Heaters, Volume II, Unvented Room Heaters (same as Z21.11.2b) (addenda to ANSI Z21.11.2-2007, Z21.11.2a-2008)

Details test and examination criteria for unvented heaters for use with natural, manufactured and mixed gases, liquefied petroleum gases, and LP gas-air mixtures. Such heaters are limited to Maximum input ratings of 40,000 Btu per hour.

Single copy price: \$50.00

Obtain an electronic copy from: cathy.rake@csa-america.org

Order from: Cathy Rake, (216) 524-4990, cathy.rake@csa-america.org

Send comments (with copy to BSR) to: Same

ISEA (International Safety Equipment Association)**Revisions**

BSR/ISEA Z358.1-200x, Emergency Eyewash and Shower Equipment (revision and redesignation of ANSI Z358.1-2004)

Establishes minimum performance and installation requirements for eyewash and shower equipment for the emergency treatment of the eyes or body of a person who has been exposed to hazardous materials. This standard covers the following types of equipment: emergency shower, eyewash equipment, eye/face wash equipment, and combination shower and eyewash units.

Single copy price: \$45.00

Obtain an electronic copy from: cfargo@safetysafetyequipment.org

Order from: Cristine Fargo, (703) 525-1695, cfargo@safetysafetyequipment.org

Send comments (with copy to BSR) to: Same

ITI (INCITS) (InterNational Committee for Information Technology Standards)**New National Adoptions**

INCITS/ISO/IEC 24752-1:2008, Information technology - User interfaces - Universal remote console - Part 1: Framework (identical national adoption of ISO/IEC 24752-1:2008)

Facilitates operation of information and electronic products through remote and alternative interfaces and intelligent agents. ISO/IEC 24752-1: 2008 defines a framework of components that combine to enable remote user interfaces and remote control of network-accessible electronic devices and services through a universal remote console (URC). It provides an overview of the URC framework and its components.

Single copy price: \$157.00

Obtain an electronic copy from: <http://www.incits.org> or <http://webstore.ansi.org>

Order from: Global Engineering Documents, (800) 854-7179, www.global.ihs.com

Send comments (with copy to BSR) to: Barbara Bennett, (202) 626-5743, bbennett@itic.org

